

# **GV180**

## ANY JOB. ANY SIZE. ANY PLACE.



The GV180 Gas Vacuum is designed with a steel fan and chamber, powered by a rugged 18hp Briggs & Stratton V-Twin engine.

- Engineered and designed to eliminate engine vibration and fan blade stress
- 12 volt Magnetron Electronic Ignition system
- Input / Output safety switches
- Mounting frame w/10.5" flat free tires
- Hour meter / tachometer monitors the hours and rpm of the machine
- New rotated chamber for additional safety
- Durable powder coat finish
- Intended for removing all types of blown insulation and for recycling damp spray.
- Abrasion resistant fan blade

## AMERICAN MADE.

Backed by a manufacturer's 2-YEAR WARRANTY




### 65 Years of American Ingenuity

#### **GENERAL SPECIFICATIONS**

MOTOR 18hp/3600rpm (no load)

**WEIGHT** 262lbs (119kg)

**DIMENSIONS** 36"L x 32"W x 46"H (91cm x 81cm x 117cm)



#### Gas Vacuum - Theory of operation

This unit is designed to move all recycled, existing attic loose fill insulation and new insulation materials from the job site and deliver them directly to a designated area such as a filter bag, dumpster, vacuum hopper, etc. Utilizing the vacuum defender when removing loose fill material from an attic or other areas that have debris such as nails, wood chunks, etc, will help protect the vacuum from potential damage and or excessive wear.

#### **GV180 PACKAGE**

Part number	Description	QTY
GV180	18 HP Gas vacuum	1
GVDEFENDER	Vacuum defender	1
H430	6" x 25' Hose	1
H330	4" x 50' Hose	3
381	4" Connector tube	2
GV180-KIT	Hose reducer kit	1
341	6" Hose clamps	4
340	4" Hose clamps	6
250600-B	Vacuum Wand 4"	1
GV100-BAG	Vacuum Bag	10

### ADDITIONAL ACCESSORY OPTIONS AVAILABLE UPON REQUEST

Note: Manufacturer's product brand, density and variable blowing conditions will affect production rate.